

## LA-UR-18-20661

Approved for public release; distribution is unlimited.

Title: Eulerian and Lagrangian Parameterization of the Oceanic Mixed Layer  
using Large Eddy Simulation and MPAS-Ocean

Author(s): Van Roekel, Luke

Intended for: institutional computing viewgraph for annual reporting

Issued: 2018-01-30

---



**Disclaimer:**

Los Alamos National Laboratory, an affirmative action/equal opportunity employer, is operated by the Los Alamos National Security, LLC for the National Nuclear Security Administration of the U.S. Department of Energy under contract DE-AC52-06NA25396. By approving this article, the publisher recognizes that the U.S. Government retains nonexclusive, royalty-free license to publish or reproduce the published form of this contribution, or to allow others to do so, for U.S. Government purposes. Los Alamos National Laboratory requests that the publisher identify this article as work performed under the auspices of the U.S. Department of Energy. Los Alamos National Laboratory strongly supports academic freedom and a researcher's right to publish; as an institution, however, the Laboratory does not endorse the viewpoint of a publication or guarantee its technical correctness.


# Eulerian and Lagrangian Parameterization of the Oceanic Mixed Layer using Large Eddy Simulation and MPAS-Ocean

(w17\_mpasles)

PI: Luke Van Roekel, T-3, 667-1402, [lvandroekel@lanl.gov](mailto:lvandroekel@lanl.gov)



- We have conducted a suite of Large Eddy Simulation (LES) to form the basis of a multi-model comparison (left). The results have led to proposed model improvements.
- We have verified that Eulerian-Lagrangian effective diffusivity estimates of mesoscale mixing are consistent with traditional particle statistics metrics (right).
- LES and Lagrangian particles will be utilized to better represent the movement of water into and out of the mixed layer.



*Top - Intercomparison of the traditional configuration of ocean mixed layer model. Bottom – Our newly proposed configuration.*

*Top – Different estimates of mesoscale eddy diffusivity computed using our high performance Lagrangian particle tracking capability.*